

Data Sheet

WT-1peptide

RMFPNAPYL

for stimulation of T-cells

Cat. No.: 6-7019-901

Lot No.: 7019-

Version: 4.3

Revision Date: 05.08.2020

Description	Single peptide (RMFPNAPYL) for stimulation of human WT-1 -specific CD8 ⁺ T-cells. The peptide is synthesised as it is presented by the MHC class I HLA-A*0201 allele.
Form	Lyophilized powder Please spin down briefly before opening the vial.
Amount	1 mg
Purity	> 85%, endotoxin free; peptides were purified by HPLC using a water and acetonitrile gradient.
Reconstitution	Peptide solubility depends on amino acid sequence and modifications. For dissolving peptides we recommend the following: <ul style="list-style-type: none"> • Sonication will increase solubility. • 10% acetic acid in the solvent will facilitate dissolving basic peptides. • 10% ammonium bicarbonate will facilitate dissolving acidic peptides. • For peptides with extremely low solubility in aqueous solutions, organic solvents (such as DMSO, isopropanol, methanol, and acetonitrile) should be used first. Once the peptides are completely dissolved, water may be gradually added until the desired concentration is obtained.
Stability	12 months after shipping
Storage	recommended: -25 °C – -15 °C
Shipping	room temperature or frozen
Hazards	Product is not classified as hazardous according to (EC) No 1272/2008 [CLP]. A Material Safety Data Sheet is provided.



Go digital and help the environment. Please download all up-to-date manuals, protocols and other material from <http://www.iba-lifesciences.com>.

For research use only

Trademark information

The owners of trademarks marked by “®” or “TM” are identified at <http://www.iba-lifesciences.com/patents.html>. Registered names, trademarks, etc. used in this document, even when not specifically marked as such, are not to be considered unprotected by law.